
## aura


### Vertical seaming machine




## aura

APPLICATIONS	4-3
AURA TECHNOLOGICAL BENEFITS	6-7
ACCESSORIES	-
OVERALL DIMENSIONS AND TECHNICAL DATA	10-1

### Cms



### **APPLICATIONS**



### **AURA**

#### **TECHNOLOGICAL BENEFITS**

#### WHAT IS THE MOST CONVENIENT SOLUTION FOR AUTOMATICALLY SEAMING RECTANGULAR GLASS?

**Cms aura** is the vertical dry seaming machine specially developed to machine edges without the use of water (dry seaming). Aura can be used as a stand-alone machine, in line with a vertical washing machine and is **the perfect machine to be part of a double glazing line**. Aura can seam monolithic, laminated or low-e treated glass.

Aura is designed to meet the needs of customers who demand ease of use, quick installation, reliability and low cost of system ownership.


#### Worry free

The operator loads the glass and starts the processing cycle, the machine automatically measures the incoming glass (height, length and thickness) and machines the edge.


Aura also adapts its operating units to different thicknesses.

### HOW TO SAVE ON PRODUCTION COSTS? DRY SEAMING, WITHOUT THE USE OF WATER!

- The tools are specifically designed for dry use.
- Glass dust is sucked up through a system of pipes that conveys it into a multi-stage filter at the rear of the machine.







#### KEY BUYER BENEFITS

- + No need for water [COST SAVINGS]
- + Max operating speed of 25 m/min [PRODUCTIVITY]
- + Suitable for 3-shift production [PRODUCTIVITY]
- + 100% automatic handling of different thicknesses [PRODUCTIVITY]
- + Complete collection of machining dust [SAFE WORK]

6

# **ACCESSORIES**

LESS IS MORE!  Aura is equipped with a large 21.5" operator panel with an interface that is highly optimized for the work process and is user-friendly. Everything is managed by the CMS Main Supervisory Dashboard control software.	

8 9

AURA:	

10 11

